

# Monthly Water Situation Report May 2017

## **Natural Resources Wales**

- The monthly rainfall total for Wales during May was 87% of the Long Term Average (LTA, 1961-90). South East, South West and North Wales received 94%, 83% and 84% of the LTA, respectively.
- At the end of May, soil moisture deficit (SMD) values across Wales were from 3 to 106mm for all MORECS squares. Soil was drier than the LTA for most of the squares (19 out of 23) for May.
- For river flows in Wales, 13 out of 30 indicator sites (which had flow data available) were classed as *Normal*, 7 were classed as Below normal and 4 sites was classed as *Notably low*. There were 5 sites classed as *Exceptionally low*. The remaining 1 site was *Above normal*.
- The cumulative reservoir storage across the indicator sites were between 76% and 100%.
   There were 10 reservoirs out of 18 with storage greater than 92% and the remaining 8 reservoirs with storage between 76% and 89% at the end of May and all reservoirs were within normal operating ranges.

#### Rainfall\*

The monthly rainfall total for Wales was 87% of the LTA for May. The percentage of rainfall recorded in catchments compared with the LTA across Wales was between 49% (Dee) and 113% (Glaslyn/Dwyryd). The rainfall total for Wales was 11mm less than the May LTA. For South East, South West and North Wales the rainfall totals were 94%, 83% and 84% of LTA, respectively.

Rainfall Map <u>National</u>

Rainfall Charts National & Areas South East Wales North Wales South West Wales

#### **Soil Moisture Deficit/Recharge**

All 23 MORECS squares had SMD values which were between 3 and 106mm. Soil was drier than the long term average for 19 squares for May.

SMD Map <u>National</u>

SMD Charts Compare to LTA

<sup>\*</sup> using NCIC (National Climate Information Centre) data (Source: Met Office © Crown Copyright)

#### **River Flows**

River flows were between exceptionally low and above normal for all the indicator sites across Wales. 13 sites (out of 30 sites which had flow data) were classed as *Normal* and 7 were classed as *Below normal*. 4 sites were classed as *Notably low* and 5 sites as *Exceptionally low*. The remaining 1 site was *Above normal*.

**South East:** Flows in the area ranged from 33% (River Yscir at Pont ar Yscir) to 67% (River Monnow at Grosmont) of the May LTA values.

**South West:** The river flows within this area ranged from 37% (River Ystwyth at Pont Llolwyn) to 126% (River Loughor at Tir-y-Dail) of the May LTA values.

**North:** Flows in the area ranged from 28% (River Ceiriog at Brynkinalt) to 117% (River Dwyfor at Garndolbenmaen) of the May LTA Values.

River Flow Map <u>National</u>

River Flow Table % of LTA and compare to previous year

River Flow Charts South East Wales North Wales South West Wales

#### **Groundwater Levels**

Groundwater levels for May at all indicator sites (10 sites) were classed between *Exceptionally low* (Pont y Cambwll) and *Above normal* (Dodleston). 4 sites were classed as *Normal* (Fernbank, Greenfield Garage, Hollybush and Broxton) and 3 sites were classed as *Below normal* (Pant-y-Lladron, Llanfair DC and Eastwick). The remaining 1 site (Handley) was classed as *Notably low*.

Groundwater Map National

Groundwater Charts South East Wales North Wales South West Wales

#### **Reservoir Storage**

At the end of May storages for 10 reservoirs out of 18 were greater than 90% full and the remaining 8 reservoirs were 76% - 89% full. All of them were in normal range for the time of year.

Reservoir Charts South East Wales North Wales South West Wales

All data on Water Situation Reports are provisional, based on spot readings, and are subject to revision.

Author: Zhong Zhang Telephone: 03000 654521

## **Natural Resources Wales**




Figure 1: The Natural Resources Wales Water Situation Report features sites in the catchments shown. Parts of the Shropshire Plains and Mid Severn catchments are within Wales. For full information on these catchments, please see the Environment Agency Midlands Water Situation Report.

For areas adjoining Natural Resources Wales, please see the reports for Environment Agency Midlands and North West England:

<u>Environment Agency - Midlands, England Water Situation Report</u> <u>Environment Agency - North West, England Water Situation Report</u>

All data are provisional and may be subject to revision.

The views expressed in this document are not necessarily those of the Natural Resources Wales. Its officers, servants or agents accept no liability for any loss or damage arising from the interpretation or use the information, or reliance upon views contained herein.

## Rainfall





Figure 2: Calculated catchment average May rainfall totals as a percentage of the 1961-90 May long term average for Natural Resources Wales catchments, using NCIC (National Climate Information Centre) data (Source: Met Office © Crown Copyright).


## **Rainfall Charts**

Figure 3: Rainfall Charts: National and Areas




Comparison of monthly rainfall totals to the 1961-90 long term average expressed as percentage for Natural Resources Wales and Areas, using NCIC (National Climate Information Centre) data (Source: Met Office © Crown Copyright).

Figure 4: Rainfall Charts: South East Wales




Comparison of monthly rainfall totals to the 1961-90 long term average expressed as percentage for South East Wales, using NCIC (National Climate Information Centre) data (Source: Met Office © Crown Copyright).

**Figure 5: Rainfall Charts: North Wales** 




Comparison of monthly rainfall totals to the 1961-90 long term average expressed as percentage for North Wales, using NCIC (National Climate Information Centre) data (Source: Met Office © Crown Copyright).



Comparison of monthly rainfall totals to the 1961-90 long term average expressed as percentage for North Wales, using NCIC (National Climate Information Centre) data (Source: Met Office © Crown Copyright).

Figure 6: Rainfall Charts: South West Wales



Comparison of monthly rainfall totals to the 1961-90 long term average expressed as percentage for South West Wales, using NCIC (National Climate Information Centre) data (Source: Met Office © Crown Copyright).

# **Soil Moisture Deficit (SMD)**




Figure 7: MORECS soil moisture deficits (mm) for May for real land use for Natural Resources Wales (Source: Met Office © Crown Copyright).




Figure 8: MORECS month end soil moisture deficits difference (mm) from the 1961-90 long term monthly average (LTA) for May for real land use for Natural Resources Wales squares (Source: Met Office © Crown Copyright).




Figure 9: MORECS month end soil moisture deficit difference (mm) from the 1961-90 long term monthly average (LTA) for real land use for South East, North and South West (Source: Met Office © Crown Copyright). (Note: no LTA available for Natural Resources Wales.)

## **River Flow**





Figure 10: Monthly mean river flow for May, classed relative to analysis of historic May monthly means (Source: Natural Resources Wales).

SITE NAME	RIVER	May 2017			May 2016		May LTA		
		Class	% of LTA	Flow (m3/s)	% of LTA	Flow (m3/s)	LTA	Monthly Min (m3/s)	Monthly Max (m3/s)
River Flow Site	s : South Ea	ast Area							
Butts Bridge	Lugg	Exceptionally low	37%	1.56	56%	2.37	4.27	1.23	11.50
Grosmont	Monnow	Normal	67%	2.67	117%	4.67	3.99	1.09	9.49
Pont ar Yscir	Yscir	Notably low	33%	0.34	72%	0.73	1.02	0.27	3.05
Pontypridd	Taff	Normal	59%	6.69	106%	12.10	11.41	4.03	30.70
Redbrook	Wye	Below normal	48%	21.6	76%	34.10	44.70	14.00	130.00
Rhiwderin	Ebbw	Below normal	52%	2.55	88%	4.28	4.88	1.45	15.20
St Fagans	Ely	Normal	60%	1.49	129%	3.19	2.47	0.77	6.68
Trostrey Weir	Usk	Below normal	59%	8.64	110%	16.00	14.58	5.99	29.80
River Flow Sites	s : North Ar	ea						l .	<u> </u>
Bodfari	Wheeler	Notably low	63%	0.40	113%	0.71	0.63	0.31	1.77
Bodffordd	Cefni	Notably low	31%	0.05	56%	0.09	0.16	0.04	0.52
Brynkinalt Weir	Ceiriog	Exceptionally low	28%	0.61	102%	2.23	2.19	0.60	5.46
Cwmlanerch	Conwy	Normal	88%	8.92	80%	8.20	10.19	0.76	29.20
Cynefail	Gelyn	Below normal	51%	0.20	67%	0.26	0.39	0.07	1.03
Dol y Bont	Leri						0.86	0.16	2.78
Druid	Alwen	Exceptionally low	30%	0.82	64%	1.74	2.71	0.57	6.59
Dyfi bridge	Dyfi				86%	10.20	11.90	1.18	35.40
Garndolbenmaen	Dwyfor	Normal	117%	1.59	104%	1.41	1.36	0.19	4.10
Manley Hall	Dee	Below normal	61%	10.30	91%	15.40	16.94	8.32	38.60
Pont y Cambwll	Clwyd	Exceptionally low	40%	1.51	81%	3.08	3.79	1.27	11.40
Ruthin Weir	Clwyd	Exceptionally low	29%	0.21	82%	0.59	0.72	0.22	2.18
River Flow Sites : S	South West Are	ea	•					l .	L
Capel Dewi	Tywi	Normal	71%	15.10	82%	17.40	21.13	4.50	58.90
Clog y Fran	Taf	Normal	63%	2.46	71%	2.79	3.92	1.02	10.90
Coytrahen	Llynfi	Normal	58%	0.75	91%	1.18	1.29	0.30	2.90
Felin Mynachdy	Cothi	Normal	94%	6.22	87%	5.71	6.59	0.84	17.90
Glanteifi	Teifi	Below normal	53%	8.93	62%	10.40	16.70	4.23	39.50
Keepers Lodge	Ewenny	Below normal	58%	0.64	105%	1.17	1.11	0.50	2.60
Marcroft	Afan	Normal	69%	2.28	92%	3.04	3.31	0.72	17.80
Pont Llolwyn	Ystwyth	Notably low	37%	1.15	57%	1.79	3.13	0.58	10.80
Treffgarne *	Western Cleddau	Normal	68%	1.49	70%	1.54	2.20	0.82	5.18
Resolven	Neath	Normal	53%	2.82	110%	5.87	5.36	0.80	13.80
Tir-y-Dail	Loughor	Above normal	126%	1.50	151%	1.80	1.19	0.30	3.51
Ynystanglws	Tawe	Normal	90%	6.35	130%	9.18	7.07	1.38	19.50

Figure 11: Monthly mean river flow for May with comparison against previous year expressed as a percentage of the May long term average and classed relative to analysis of historic May monthly means. (Source: Natural Resources Wales). (\* For Treffgarne station the LTAs were derived using scaled historical flows (1965-2003) from the downstream station at Prendergast Mill.)


## **River Flow Charts**

Figure 12: River Flow Charts: South East Wales



Monthly mean river flows for the last 10 months classed relative to the analysis of historic river levels (Source: Natural Resources Wales).

Figure 13: River Flow Charts: North Wales



Monthly mean river flows for the last 10 months classed relative to the analysis of historic river levels (Source: Natural Resources Wales).






Figure 14: River Flow Charts: South West Wales





Monthly mean river flows for the last 10 months classed relative to the analysis of historic river levels. (Source: Natural Resources Wales).

(\* Please note that for Treffgarne station the ranking bands were derived using scaled historical flows (1965-2003) from the downstream station at Prendergast Mill)

## **Groundwater Levels**






Figure 15: Groundwater levels at the end of month classed relative to an analysis of historic May groundwater levels (Source: Natural Resources Wales and Environment Agency).

## **Groundwater charts**

Figure 16: Groundwater level charts: South East Wales




End of month groundwater levels for the past 10 months for index sites (Source: Natural Resources Wales).



End of month groundwater levels for the past 10 months for index sites (Source: Natural Resources Wales).

Jun-17


Figure 18: Groundwater level charts: North Wales



End of month groundwater levels for the past 10 months for index sites (Source: Natural Resources Wales and Environment Agency).

## **Reservoir Storage**


Figure 19: Reservoir charts: South East Wales



Weekly reservoir stocks for Natural Resources Wales index sites (Source: Welsh Water)


(Please note that the reservoir Usk stock (65%) were low at the end of February due to maintainance work being carried out on this reservoir although its stock has increased compared with the previous months.

Figure 20: Reservoirs charts: North Wales



Weekly reservoir stocks for Natural Resources Wales index sites (Source: Welsh Water).

Figure 21: Reservoirs charts: South West Wales



Weekly reservoir stocks for Natural Resources Wales index sites (Source: Welsh Water).

# **Glossary**

Term	Definition					
Aquifer Areal average rainfall	A geological formation able to store and transmit water. The estimated average depth of rainfall over a defined area. Expressed in depth of water (mm).					
Effective rainfall	The rainfall available to percolate into the soil or produce river flow. Expressed in depth of water (mm).					
Groundwater Meteorological Office Rainfall and Evaporation Calculating System (MORECS)	The water found in an aquifer The Met Office provides climate data for grid squares measuring 40km by 40km across the UK using MORECS					
Recharge	The process of increasing the water stored in the saturated					
Reservoir live capacity	zone of an aquifer. Expressed in depth of water (mm). The reservoir capacity normally usable for storage to meet established reservoir operating requirements. It is the total capacity less that not available because of operating agreements or physical restrictions. Only under abnormal conditions, such as a severe water shortage might this additional water be extracted.					
Soil moisture deficit (SMD)	The difference between the amount of water actually in the soil and the amount of water that the soil can hold. Expressed in depth of water (mm).					
Categories Exceptionally high Notably high Above normal Normal Below normal Notably low Exceptionally low	Value likely to fall within this band 5% of the time Value likely to fall within this band 8% of the time Value likely to fall within this band 15% of the time Value likely to fall within this band 44% of the time Value likely to fall within this band 15% of the time Value likely to fall within this band 8% of the time Value likely to fall within this band 5% of the time					
Units cumecs mAOD	Cubic metres per second (m³ s⁻¹) Metres Above Ordnance Datum (mean sea level at Newlyn Cornwall).					