

Town Tree Cover in Gwynedd

Understanding canopy cover to better plan and manage our urban trees



Foreword



Emyr Roberts

Diane McCrea

Introducing a world-first for Wales is a great pleasure, particularly as it relates to greater knowledge about the hugely valuable woodland and tree resource in our towns and cities.

We are the first country in the world to have undertaken a country-wide urban canopy cover survey. The resulting evidence base set out in this supplementary county specific study for Blaenau Gwent County Borough will help all of us - from community tree interest groups to urban planners and decision-makers in local authorities and our national government - to understand what we need to do to safeguard this powerful and versatile natural asset.

Trees are an essential component of our urban ecosystems, delivering a range of services to help sustain life, promote well-being, and support economic benefits. They make our towns and cities more attractive to live in - encouraging inward investment, improving the energy efficiency of buildings – as well as removing air borne pollutants and connecting people with nature. They can also mitigate the extremes of climate change, helping to reduce storm water run-off and the urban heat island.

Natural Resources Wales is committed to working with colleagues in the Welsh Government and in public, third and private sector organisations throughout Wales, to build on this work and promote a strategic approach to managing our existing urban trees, and to planting more where they will deliver the greatest benefits.

Emyr Roberts

Dr Emyr Roberts Chief Executive

Diane McCrea Chair



Caernarfon: © Crown Copyright: RCAHMW

Table of Contents

Foreword

- 1: Introduction Wales' canopy cover study
- 2: Gwynedd county and town canopy cover findings
- 3: Distribution, composition and change to canopy cover
- 4: Neighbourhood canopy cover a focus on Gwynedd's wards
- 5: Potential for tree planting, pilot exercises for Bangor and Dolgellau
- 6: Conclusion: disseminating, refining and updating the data

List of Figures

Figure 1: Tre	ees are powerful and versatile natural assets
Figure 2: Gw	wynedd's urban areas with their 2013 canopy cover percentage
Figure 3: Dis	stribution of the 12 land-use categories (2013) across Gwynedd's urban areas
Figure 4: The	e Percentage Contribution of Canopy Cover within each Land-Use
Figure 5: Lar	nd-Use Canopy Cover Distribution within Gwynedd's Towns
Figure 6: Gw	wynedd's Urban Woodland and Amenity Tree Canopy Cover % - 2013
Figure 7-9: Spa	atial Distribution of Woodland and Amenity Trees within Towns
Figure 10: Ext	tent of Woodland and Amenity Tree Coverage (ha) across Gwynedd's Towns
Figure 11: Per	rcentage Distribution of Amenity Tree and Woodland Cover across the Land-Uses
Figure 12-14: To	wn Ward by Ward Canopy Cover Breakdown
Figure 15: Car	nopy Cover in 'Gwynedd' Communities First Cluster Area
Figure 16: Ba	ngor's canopy cover and green areas with potential to explore new planting
Figure 17: Do	blgellau's canopy cover and green areas with potential to explore new planting

List of Tables

Table 1:	Town size and canopy cover
Table 2:	Canopy cover within each land-use for the 17 towns
Table 3:	Land-use distribution of canopy cover within wards (LSOAs)
Table 4:	The highest and lowest 'woodland' cover within Gwynedd's Communities First Cluster Area wards (LSOAs)
Table 5:	Town amenity tree loss and gain between 2006, 2009 & 2013
Table 6:	Town woodland loss and gain between 2011 and 2014
Table 7:	Summary breakdown of town amenity tree and woodland cover in 2006, 2009 and 2013
Table 8:	Distribution of Gwynedd's wards (LSOAs) as per the Welsh Index of Multiple Deprivation
	2011
Table 9:	'Top10' most canopied wards
Table10:	'Bottom 10' least canopied wards
Table11:	Ward by Ward (LSOAs) Canopy Cover
Table 12:	The potential to increase canopy cover in Bangor and Dolgellau by assessing green space without trees.



Hirael and the Garth, Bangor

Acknowledgements

Fryer, Dafydd CMLI (NRW) Urban Forest Architect – Main Author Natural Resources Wales (NRW) would especially like to thank the following people:

Anglezarke, Barbara, (NRW) Communities and Regeneration Team Leader GIS & Spatial Services Team (NRW) Hume, David, AECOM (TCWTC Phase 3 Consultants) Jaluzot, Anne, Green Infrastructure Planning Consultant Lush, Claire, Exegesis SDM (TCWTC Phase 1 Consultants) Negi, Poonam, RMSI (TCWTC Phase 2 Consultants) Special thanks go to the Welsh Government for funding Phase 3 and Richard Morgan from the Welsh Government's Forestry Policy Team, Land, Nature and Forestry Division.

2006 COWI Aerial Photography licensed to Natural Resources Wales through Welsh Government Pan Government Agreement.

2009 Aerial Photography licensed to Forestry Commission through Pan Government Agreement, from England/Wales Next Perspectives™.

2013-14 Aerial Photography: © Airbus Defence & Space and Getmapping. Reproduced by permission of Welsh Government (Rural Payments Wales) – 03 / 2016.

Reproduced by permission of Ordnance Survey on behalf of HMSO. © Crown copyright and database right [2013], all rights reserved. Natural Resources Wales Ordnance Survey licence number [100021974]

Point X Copyright © and Database Rights 2013 Point X Ltd and Landmark Information Group. Ordnance Survey Crown Copyright 2013. All Rights Reserved.

.....

Photography credits:

All oblique aerial photography licensed to Natural Resources Wales from Royal Commission on the Ancient and Historic Monuments of Wales (RCAHMW). © Crown copyright, Natural Resources Wales' RCAHMW licence number [RCPL2/3/46/037]

.....

Images - Dafydd Fryer (©NRW),

Published by: Natural Resources Wales, Welsh Government Offices, Rhodfa Padarn, Llanbadarn Fawr, Aberystwyth, Ceredigion, SY23 3UR

The updated national 'Tree Cover in Wales' Towns and Cities' report and associated summary are available online at the Natural Resources Wales website.

For further information:


Email – urbantrees@naturalresourceswales.gov.uk

1. Introduction – Wales' canopy cover study

The 'Tree Cover in Wales' Towns and Cities' study is the first nationwide study of a whole country's urban area to be undertaken anywhere in the world. To compliment this 22 county reports provide specific local focus to the canopy cover findings. For Gwynedd this offers details for its 17 towns.

Start here to understand the context, objectives, audience, and future prospects of this work:

- 1.1 The economic, social and environmental value of trees in our towns
- 1.2 Why a 'Tree Cover in Wales' Towns and Cities' (TCWTC) Study?
- 1.3 Who is this study for?
- 1.4 How was the study developed? An overview
- 1.5 A portrait of Wales' and Gwynedd's urban tree canopy
- 1.6 The way ahead. What we can all do



The '*Tree Cover in Wales' Towns and Cities'* study – providing the context for Gwynedd's canopy cover findings

1.1 The economic, social and environmental value of trees in our towns

It is now widely accepted that trees and woodlands in and around towns and cities have a vital role to play in promoting sustainable communities. In the last few years a growing body of research has demonstrated that trees bring a wide range of benefits both to individual people and to society as a whole.

As the most important single component of green infrastructure, trees can contribute to improved health and wellbeing, increased recreational opportunities, and an enriched and balanced environment that ultimately boosts a town's image and prosperity.




Figure 1: Trees are powerful and versatile natural assets

1.2 Why a 'Tree Cover in Wales' Towns and Cities' (TCWTC) Study?

Trees are a shared resource and are amongst the most versatile natural assets planners, policy makers, businesses and communities can use to cost effectively raise the quality of Welsh towns and cities.

In spite of this potential, very little is known about Wales' urban tree resource. Nobody knows how much there is, where it falls, and whether current provisions are adequate to effectively support the sustainable growth, health and wellbeing of Welsh urban communities. Despite their multi-purpose benefits to society the urban environment places considerable pressure on trees, with the reasons for their potential removal and loss of cover varied.

1.3 Who is this study for?

The Tree Cover in Wales' Towns and Cities (TCWTC) study was designed to help address this knowledge gap and provide decision-makers around the country, including Gwynedd County Council, with the baseline information they need to strategically plan and manage Wales' urban tree resource.

The TCWTC study makes a significant contribution to building understanding and capacity for effective national coordination of urban green infrastructure delivery. Its findings will be of interest to both policy makers and practitioners, particularly those in the Welsh Government, Natural Resources Wales and their Public Service Board representatives, local authorities such as Gwynedd County Council, Registered Social Landlords, e.g. Cartrefi Cymunedol Gwynedd and other significant land owners in urban areas, e.g. Dŵr Cymru / Welsh Water, University campuses and non-governmental bodies.

This supplementary county report provides detailed findings in the form of maps, tables and charts and are presented in a similar format as to what is presented in the national TCWTC study sections. To gain a greater understanding behind the county results this report should be read in conjunction with the more detailed analysis found in the national study. Further analysis is needed to tease out the particular characteristics and trends of canopy cover within each county.

1.4 How was the study developed? An overview

Because it is mostly through their crown spread that trees deliver benefits, the TCWTC study focuses on tree canopy cover (rather than counting individual number of trees). This was mapped through a desk-based analysis of 2006, 2009 and 2013 aerial photographs for Wales' 220 urban areas as defined by the Office of National Statistics' settlement based approach.

Wales is the first country in the world to undertake a complete canopy cover study of all its urban areas.

The findings of non-woodland 'amenity' trees were complemented by existing datasets on urban woodland (>0.5 hectares), using National Forest Inventory data. The analysis conducted at multiple scales (county, town and ward level) also considered the relation between canopy cover and local levels of deprivation.

1.5 A portrait of Wales' and Gwynedd County's urban tree canopy

Urban canopy coverage

Wales' mean urban tree cover was estimated to be 16.3% for 2013, down from 17.0% in 2009. Gwynedd's urban cover was estimated to be 15.0% in 2013, down from 15.6% in 2009.

High differences from town to town

Behind national figures, landscape character influences the noticeable differences that exist - often low in coastal towns (e.g. Rhyl and Porthcawl – 6%) and high in the South Wales Valleys (e.g. 30% in Treharris). Both coastal, post-industrial and hinterland towns show a mix of high and low canopy – Dolgellau (26%), Barmouth (22.7%), Y Felinheli (21.7%), Llanberis (19.3%) contrasting with Tywyn (4.7%), Blaenau Ffestiniog (7.1%), and Pwllheli (7.8%).

Nationally one third urban woodland, two thirds amenity trees

Urban woodlands represent 35% of Wales' urban canopy cover, however in Gwynedd it is 31%. The rest is made up of so-called 'amenity' non-woodland trees, those individual and groups of trees growing along streets, gardens, car parks and other urban public and private open spaces.

Distribution of canopy amongst land uses tells a great deal about urban tree stewardship

Public open space hosts 53% of all tree cover in our Welsh communities despite making up only 22% of urban land. This is 49% in Gwynedd, where public open space accounts for 23% of urban land.

Private residential gardens make up 35% of Wales' urban areas and provide 20% of all our town's tree cover. This is 37% in Gwynedd with gardens providing a 28% of all canopy. This underlines the responsibility of homeowners, and the importance of the good use and management of tree preservation orders to the upkeep of the Welsh urban forest. It also highlights the responsibility of developers and planners as part of the development process to ensure our housing areas are all adequately canopied.

Transport routes - including verges and pavements - make up 16% of Wales' urban land but they only provide 9% of cover, similar to Gwynedd. Motorised traffic causes much of the urban air and surface water pollution, which trees have the ability to remove.

Tree canopy loss

Overall towns in Gwynedd lost 26 hectares between 2009 and 2013 with 11 of the 17 towns showing a decline in cover. Similarly, 159 of Wales' 220 urban areas showed a loss in canopy. When comparing loss and gain of trees between 2006 and 2013, 7,000 large trees appear to have been lost across Wales – Gwynedd however positively recruited 215 from the medium size category. Nationally the findings suggest a steady erosion of Wales' Victorian and Edwardian tree legacy.

Tree cover in deprived areas tends to be lower and relatively less rich in amenity trees

Whilst variation exists across Wales, 63% of more affluent wards have cover greater than 15% compared to 23% for less well-off wards. There is however great variation in tree cover within Wales' top 10 most deprived wards (2014), from as little as 2% in Rhyl West 2 to 19% in Merthyr Vale 2, Aberfan. The four wards (LSOAs) in Gwynedd's Communities First cluster area vary in cover from 25% in Marchog 1 to 9% in Peblig.

Where high tree cover and high level of deprivation coexist, this seems to be associated with local urban woodland being present rather than amenity trees. Woods of this nature can sometimes be unmanaged and inaccessible.

Potential for tree cover

'Green land' sites (soil, grass and shrub areas) were assessed for potential planting, piloting one major town in each local and national park authority, e.g. Bangor and Dolgellau. If all 'green land' sites identified were planted, with the right trees in the right places, cover in towns could potentially increase by 38% and 36% respectively.

Knowing where trees might be planted enables planners to set realistic canopy cover targets. Many North American and Australian cities have comprehensive tree strategies with tree canopy cover goals. Portland in Oregon, with a similar climate to Wales, intends to increase its cover by 7% from its current level of 26%. Bristol City Council has set an aspirational goal of increasing canopy cover from 14% to 30%.

If Welsh towns with lower cover aimed for 20% (the UK Forest Standard woodland definition) in the medium term – we could have a nation of woodland towns!

1.6 The way ahead. What we can all do

Share and build the evidence

What gets measured gets managed. The study has addressed a significant information gap. It's crucial that we continue to share findings and continue the research.

Adopting a strategic approach to managing our urban trees

The study has identified significant discrepancies in canopy cover levels between and within individual towns. International best practice shows that the best way to ensure all urban communities achieve adequate canopy cover is to adopt local tree strategies and set canopy cover targets.

Supporting sustainable urban tree management

Significant rates of tree loss have been identified. It's crucial that we all review the effectiveness and use of existing tools and legislation for tree care and preservation and ensure that the potential of grant programmes is maximised to support Wales' urban treescape.



Caernarfon: © Crown Copyright: RCAHMW

2. Gwynedd - County and town canopy cover findings

This section presents headline findings on canopy cover extent.


Facts, figures and conclusions are provided in the following sequence:

- 2.1 Gwynedd's cover
- 2.2 Town canopy cover comparisons
- 2.3 Summary: actionable findings



2.1 Gwynedd's cover

Gwynedd's mean canopy cover for 2013 was estimated at 15.0%, totally 345hectares – down from 15.6% in 2009.



Caernarfon: © Crown Copyright: RCAHMW Figure 2: Gwynedd's urban areas with their 2013 canopy cover percentage



Harlech: © Crown Copyright: RCAHMW



Caernarfon: © Crown Copyright: RCAHMW

2.2 Town canopy cover comparisons

Urban Area Size (ha) Category:											
0 - 250	251-500		501-1000		1001-5	000	>5(000			
Canopy Cover Size C	lasses:										
0 - 5%	5.1 – 10%	10.1 -1	5%	15.1 - 20%		20.1-25%		>25.1%			

National Area Size Rank	Urban Area	Landscape Character Zone	Population ONS 2011 Census	Urban Area (ha)	Total Cover '13 (ha)	Total Cover '13 (%)
41	Bangor	Coastal	17,988	472	85	18.0%
71	Caernarfon	Coastal	9,493	296	36	12.2%
93	Pwllheli	Coastal	4,076	180	14	7.8%
110	Porthmadog	Coastal	2,981	152	29	19.1%
113	Dolgellau	Hinterland	2,688	150	39	26.0%
115	Tywyn	Coastal	3,097	148	7	4.7%
134	Harlech	Coastal	1,762	118	20	16.9%
136	Bethesda	Hinterland	3,799	115	18	15.7%
139	Blaenau Ffestiniog	Hinterland	3,662	112	8	7.1%
155	Barmouth	Coastal	2,315	97	22	22.7%
166	Bala	Hinterland	1,974	86	10	11.6%
176	Criccieth	Coastal	1,753	83	11	13.3%
181	Penrhyndeudraeth	Coastal	1,546	71	13	18.3%
184	Y Felinheli	Coastal	2,284	69	15	21.7%
198	Llanberis	Hinterland	1,844	57	11	19.3%
204	Llanrug	Hinterland	1,916	51	4	7.8%
205	Penygroes	Hinterland	1,793	49	4	8.2%

Table 1: Town size and canopy cover



Criccieth: © Crown Copyright: RCAHMW

2.3 Summary: actionable findings

Setting canopy cover targets

The review of experiences on the international stage demonstrates that adopting canopy cover targets helps to drive urban tree management. The national findings on mean canopy cover provide a useful benchmark for local planning authorities across the country to use in support of their local planning efforts.

Under the UK Forest Standard 20%, tree cover constitutes woodland. This could be applied to urban areas as to whether they attain 'woodland town' status.

Priority towns for adoption of a strategic approach to canopy cover increase

Apart from the number of people affected by low tree canopy provision, other factors to consider when identifying canopy cover needs include deprivation, air quality and flood issues.

• The low level of tree cover in a number of towns, e.g. Tywyn, Blaenau Ffestinog, Pwllheli, Bala and Caernarfon all merit a planned approach to improve canopy provision for the future socio-economic well-being of those communities.

The ward-level analysis provides further insight where targeted tree planting might be needed. This is addressed in Section 4.

Optimising funding tools facilitating delivery

The strategic delivery of the canopy cover objectives set for a local area will be greatly facilitated if existing funding streams supporting the delivery of a high quality environment and infrastructure across urban Wales integrate tree-related measures as an eligible expenditure. For example: Vibrant and Viable Places, Coastal Communities Fund, Business Improvement District Fund Wales, Regional Transport Consortia Grant, Safe Routes in Communities, etc.

In line with this, NRW will ensure that its own grant schemes are open to urban tree and woodland proposals as far as possible.




Caernarfon: © Crown Copyright: RCAHMW

3. Distribution composition and change to

canopy cover

This section focuses on the distribution, composition and changes to Gwynedd's urban forest. It considers:

- 3.1 Urban canopy cover distribution across land-uses
- 3.2 Balance between urban woodland and amenity trees
- 3.3 Monitoring the extent of urban tree canopy over time losses and gains
- 3.4 Summary actionable findings



3.1 Urban canopy cover distribution across land-uses

Land U	se Category	Total Land-use: hectares	TCWTC 2013 Canopy Cover : hectares
	Commercial Areas (COM)	284.32	28.52
	Education (EDU)	127.00	17.01
	Hospitals (HOS)	24.57	2.93
	Burial (BUR)	15.09	1.01
	Remnant Countryside (FLD)	0.22	0.05
	Formal Open Space (OSF)	213.29	44.57
	Informal Open Space (OSI)	301.52	121.29
	Woodland (WOD)	2.37	2.37
	High Density Residential (RHD)	156.38	4.10
	Low Density Residential (RLD)	700.02	87.44
	Transport Corridors (TRN)	379.07	30.11
	Un-Classified Land-Use (UNC)	100.14	5.03
TOTAL		2303.98	344.42

Table 2: Canopy cover within each land-use for the 17 towns




Figure 3: Distribution of the 12 land-use categories (2013) across Gwynedd's urban areas




Figure 4: The Percentage Contribution of Canopy Cover within each Land-Use




Figure 5: Land-Use Canopy Cover Distribution within Gwynedd's Towns

Land-use distribution of canopy cover within wards (LSOAs)

WIMD 1 - 190	190 - 380	380 -	570	570 -	950	95	0 - 1896								
Ward (LSOA) with WIMD (Cluster Area Ward highlighted)	Total Ward Area (ha)	Town Area in ward (ha)	COM (ha)	EDU (ha)	HOS (ha)	BUR (ha)	FLD (ha)	OSF (ha)	OSI (ha)	WOD (ha)	RHD (ha)	RLD (ha)	TRN (ha)	UNC (ha)	Total Cover TCWTC 3 (ha)
Bala															
Bala	262.98	85.80	3.31	0.17	0.04	0.02	0.00	0.59	2.61	0.33	0.12	1.68	0.97	0.18	10.02
Bangor															
Deiniol	53.11	52.55	0.22	0.07	0.00	0.00	0.00	10.02	0.07	0.09	0.21	1.01	0.68	0.51	12.87
Dewi	109.77	53.22	1.19	0.02	0.06	0.00	0.00	0.08	1.59	0.03	0.08	1.36	0.64	0.48	5.52
Glyder	97.93	60.01	0.89	1.28	0.00	0.00	0.05	0.45	0.08	0.69	0.04	3.08	1.10	0.93	8.59
Hendre	99.73	52.08	0.78	0.66	0.00	0.16	0.00	4.39	0.00	0.28	0.04	1.00	0.52	0.37	8.21
Hirael & Garth 1	54.22	38.49	0.10	3.71	0.11	0.00	0.00	0.58	0.89	0.17	0.04	2.12	0.51	0.59	8.83
Hirael & Garth 2	28.60	26.37	0.06	0.00	0.00	0.00	0.00	6.65	0.00	0.00	0.03	0.14	0.20	0.13	7.22
Marchog 1	63.87	45.81	0.00	0.35	0.02	0.00	0.00	9.73	0.00	0.25	0.08	0.30	0.29	0.22	11.24
Marchog 2	41.33	27.15	0.00	0.20	0.00	0.00	0.00	2.64	0.00	0.07	0.05	0.26	0.54	0.11	3.87
Menai	100.02	63.08	0.57	5.43	0.02	0.00	0.00	1.07	0.46	0.10	0.12	3.94	1.23	0.61	13.54
Pentir 1	290.60	40.10	0.00	0.00	1.22	0.00	0.00	0.77	0.06	0.00	0.01	1.28	0.25	0.22	3.80
Pentir 2	1595.91	12.58	0.12	0.13	0.00	0.00	0.00	0.01	0.02	0.09	0.01	0.82	0.24	0.07	1.52
Barmouth															
Abermaw 1	1500.68	62.05	0.64	0.00	0.03	0.00	0.00	0.31	9.75	0.06	0.05	3.71	1.02	0.03	15.60
Abermaw 2	99.66	34.78	0.10	0.00	0.01	0.00	0.00	0.07	4.08	0.00	0.14	1.95	0.41	0.01	6.79
Bethesda															
Gerlan	263.17	38.24	0.08	0.00	0.00	0.00	0.00	0.00	3.17	0.00	0.17	3.80	0.21	0.01	7.45
Ogwen 1	34.41	33.25	0.01	0.03	0.03	0.00	0.00	0.44	2.85	0.00	0.09	1.07	0.39	0.01	4.92


Ward (LSOA) with WIMD (Cluster Area Ward highlighted)	Total Ward Area (ha)	Town Area in ward (ha)	COM (ha)	EDU (ha)	HOS (ha)	BUR (ha)	FLD (ha)	OSF (ha)	OSI (ha)	WOD (ha)	RHD (ha)	RLD (ha)	TRN (ha)	UNC (ha)	Total Cover TCWTC 3 (ha)
Ogwen 2	91.72	43.60	0.28	0.21	0.00	0.00	0.00	0.27	3.14	0.00	0.12	1.41	0.28	0.01	5.73
Blaenau Ffestiniog															
Bowydd and Rhiw	2603.20	62.86	0.60	0.36	0.00	0.00	0.00	0.29	0.62	0.00	0.52	1.60	0.39	0.01	4.39
Diffwys and Maenofferen	260.95	23.25	0.10	0.04	0.00	0.00	0.00	0.01	0.30	0.00	0.11	1.01	0.11	0.00	1.69
Teigl	2835.00	26.08	0.02	0.09	0.00	0.09	0.00	0.01	0.26	0.00	0.12	1.13	0.10	0.00	1.81
Caernarfon															
Cadnant	212.77	48.53	0.72	0.16	0.16	0.00	0.00	0.09	2.54	0.00	0.11	1.39	0.92	0.01	6.10
Menai	252.96	85.44	0.50	0.17	0.00	0.00	0.00	0.00	3.73	0.00	0.10	3.81	1.17	0.03	9.52
Peblig	100.95	75.90	1.86	0.09	0.00	0.15	0.00	0.39	2.04	0.00	0.11	1.13	0.73	0.01	6.50
Seiont 1	51.68	42.88	0.00	0.05	0.45	0.01	0.00	0.40	3.90	0.01	0.03	1.00	0.63	0.01	6.48
Seiont 2	318.23	41.71	0.83	0.20	0.00	0.00	0.00	0.07	4.04	0.00	0.10	0.93	0.83	0.02	7.02
Criccieth															
Criccieth	672.37	82.32	0.66	0.05	0.12	0.00	0.00	0.65	2.08	0.02	0.09	5.81	1.11	0.04	10.63
Dolgellau															
Dolgellau North	3262.28	91.31	2.12	0.11	0.00	0.05	0.00	0.97	10.33	0.00	0.04	5.33	2.72	0.04	21.71
Dolgellau South	238.72	58.45	0.37	0.46	0.17	0.15	0.00	0.14	12.29	0.03	0.16	2.25	1.21	0.03	17.26
Harlech															
Harlech	5852.44	95.98	1.67	0.36	0.18	0.07	0.00	0.31	8.56	0.06	0.10	5.49	0.98	0.04	17.80
Llanbedr	6839.79	21.55	0.03	0.00	0.00	0.02	0.00	0.26	0.64	0.00	0.00	1.17	0.11	0.01	2.24
Llanberis															
Llanberis	4614.46	56.57	2.64	0.05	0.04	0.00	0.00	0.30	3.08	0.01	0.19	3.51	0.94	0.04	10.79
Llanrug															
Bethel & Cwm-y-Glo 2	2149.88	1.67	0.00	0.00	0.00	0.00	0.00	0.06	0.02	0.00	0.00	0.17	0.02	0.00	0.26
Llanrug	187.88	48.84	0.08	0.06	0.00	0.00	0.00	0.31	0.71	0.00	0.08	2.15	0.21	0.02	3.62
Penrhyndeudraeth															

Ward (LSOA) with WIMD (Cluster Area Ward highlighted)	Total Ward Area (ha)	Town Area in ward (ha)	COM (ha)	EDU (ha)	HOS (ha)	BUR (ha)	FLD (ha)	OSF (ha)	OSI (ha)	WOD (ha)	RHD (ha)	RLD (ha)	TRN (ha)	UNC (ha)	Total Cover TCWTC 3 (ha)
Penrhyndeudraeth 1	3483.46	40.88	0.85	0.00	0.00	0.00	0.00	0.20	4.01	0.02	0.08	2.57	0.66	0.03	8.42
Penrhyndeudraeth 2	656.61	29.87	0.31	0.01	0.05	0.06	0.00	0.27	2.22	0.00	0.05	0.94	0.26	0.03	4.19
Penygroes															
Penygroes	729.48	48.91	0.04	0.31	0.00	0.00	0.00	0.20	0.79	0.00	0.07	1.77	0.38	0.04	3.60
Porthmadog							-							-	
Porthmadog East	452.92	70.89	1.04	0.36	0.00	0.00	0.00	0.50	5.91	0.00	0.05	1.24	0.62	0.03	9.75
Porthmadog West	866.57	81.19	2.27	0.19	0.00	0.01	0.00	0.74	9.99	0.05	0.18	3.71	2.25	0.04	19.44
Pwllheli															
Pwllheli North	385.65	90.29	1.74	0.34	0.05	0.20	0.00	0.11	2.52	0.00	0.12	2.59	1.11	0.02	8.80
Pwllheli South	166.04	88.37	0.47	1.17	0.00	0.00	0.00	0.01	1.51	0.00	0.06	0.98	0.72	0.00	4.91
Tywyn															
Tywyn 1	2493.64	87.21	1.30	0.01	0.14	0.00	0.00	0.14	0.59	0.00	0.03	1.85	0.44	0.01	4.52
Tywyn 2	293.84	60.56	0.13	0.09	0.04	0.02	0.00	0.04	0.30	0.00	0.06	1.03	0.48	0.02	2.21
Y Felinheli															
Y Felinheli	589.92	68.24	0.20	0.00	0.00	0.00	0.00	0.22	8.94	0.07	0.15	3.80	1.53	0.01	14.93

Table 3: Land-use distribution of canopy cover within wards (LSOAs)



Pontio, Bangor



3.2 Balance between urban woodland and amenity trees

Figure 6: Gwynedd's Urban Woodland and Amenity Tree Canopy Cover % - 2013



Y Felinheli: © Crown Copyright: RCAHMW




Figure 7: Spatial Distribution of Woodland and Amenity Trees within Towns




Figure 8: Spatial Distribution of Woodland and Amenity Trees within Towns






Figure 9: Spatial Distribution of Woodland and Amenity Trees within Towns



Extent of woodland and amenity tree coverage across Gwynedd's towns

Figure 10: Extent of Woodland and Amenity Tree Coverage (ha) across Gwynedd's Towns



Land-use distribution of woodland vs. amenity canopy

Figure 11: Percentage Distribution of Amenity Tree and Woodland Cover across the Land-Uses

Wards with high and low woodland (NFI) cover – making the distinction between 'wooded' and 'amenity' tree cover

Urban Area	'Wooded' %	'Amenity' Tree %	Total Canopy %
Bangor	70%	30%	24.5%
Bangor	55%	45%	14.3%
Caernarfon	30%	70%	12.6%
Caernarfon	0%	100%	8.6%
	Bangor Bangor Caernarfon	Bangor70%Bangor55%Caernarfon30%	Bangor70%30%Bangor55%45%Caernarfon30%70%

Table 4: The highest and lowest 'woodland' cover within Gwynedd's Communities First Cluster Area wards (LSOAs)

3.3 Monitoring the extent of urban tree canopy over time - losses and gains

	Ameni	ty Tree Lo	oss & Gain b	etween 200	6, 2009 8	& 2013	Change	Change	Change
Town	Large Trees 12m+ 2006 - 2009	Large Trees 12m+ 2009 - 2013	Medium Trees 6 - 12m 2006 - 2009	Medium Trees 6 - 12m 2009 - 2013	Small Trees 3 - 6m 2006 - 2009	Small Trees 3 - 6m 2009 - 2013	in Tree Count 2006 - 2009	in Tree Count 2009 - 2013	in Tree Count 2006 - 2013
Bangor	114	14	533	191	3211	-1333	3858	-1128	2730
Caernarfon	71	-9	221	138	-1211	32	-919	161	-758
Pwllheli	5	3	-248	59	-1781	-559	-2024	-497	-2521
Porthmadog	-61	-1	1763	-388	-3496	538	-1794	149	-1645
Dolgellau	-22	10	-286	165	-522	293	-830	468	-362
Tywyn	4	12	415	-212	-2120	116	-1701	-84	-1785
Harlech	-6	6	-1245	396	4899	-2804	3648	-2402	1246
Bethesda	-8	11	-310	762	-2491	-724	-2809	49	-2760
Blaenau Ffestiniog	7	-13	470	-122	-1408	82	-931	-53	-984
Barmouth	1	-5	-191	89	1703	-1057	1513	-973	540
Bala	10	-8	394	-77	-965	323	-561	238	-323
Criccieth	1	17	-234	-63	125	189	-108	143	35
Penrhyndeudraeth	4	29	-1482	822	5368	-3728	3890	-2877	1013
Y Felinheli	10	-4	-349	65	1061	280	722	341	1063
Llanberis	10	13	780	62	-3313	-373	-2523	-298	-2821
Llanrug	0	7	-202	142	787	-908	585	-759	-174
Penygroes (Gwynedd)	-9	12	-24	27	353	-110	320	-71	249
Change in Tree Numbers	131	94	5	2056	200	-9743	336	-7593	-7257

Table 5: Town amenity tree loss and gain between 2006, 2009 & 2013

Town	Area of NFI 2011 (ha)	Area of NFI 2014 (ha)	Change (ha)
Bala	3.73	3.22	-0.50
Bangor	35.41	33.35	-2.07
Barmouth	14.45	14.45	0.00
Bethesda	4.39	4.57	+0.18
Blaenau Ffestiniog	0.04	0.04	0.00
Caernarfon	10.19	8.74	-1.45
Criccieth	2.02	2.02	0.00
Dolgellau	13.27	13.30	+0.02
Harlech	5.00	6.15	+1.15
Llanberis	2.31	2.31	0.00
Llanrug	0.06	0.06	0.00
Penrhyndeudraeth	0.56	0.56	0.00
Penygroes (Gwynedd)	0.43	0.43	0.00
Porthmadog	7.83	7.83	0.00
Pwllheli	2.19	2.19	0.00
Tywyn	0.64	0.64	0.00
Y Felinheli	6.82	6.82	0.00
Gwynedd	109.4	106.7	-2.67

Table 6: Town woodland loss and gain between 2011 and 2014

URBAN NAME	Area Size Rank	Survey Year	Urban Area (ha)	Woodland (ha)	Amenity Trees (ha)	Woodland %	Amenity Trees %	Woodland + Amenity Trees (ha)	Total Cover %
Bala	166	2006	85.8	3.7	5.7	4.3%	6.7%	9.5	11.0%
		2009	85.8	3.7	6.9	4.3%	8.0%	10.6	12.4%
		2013	85.8	3.2	6.7	3.8%	7.8%	9.9	11.6%
Bangor	41	2006	471.7	35.4	48.5	7.5%	10.3%	83.9	17.8%
		2009	471.7	35.4	59.0	7.5%	12.5%	94.4	20.0%
		2013	471.7	33.1	51.9	7.0%	11.0%	85.0	18.0%
Barmouth	155	2006	97.1	14.4	7.9	14.9%	8.1%	22.3	23.0%
		2009	97.1	14.4	9.3	14.9%	9.6%	23.8	24.5%
		2013	97.1	14.2	7.8	14.6%	8.0%	22.0	22.7%
Bethesda	136	2006	115.1	4.4	16.0	3.8%	13.9%	20.3	17.7%
		2009	115.1	4.4	9.9	3.8%	8.6%	14.3	12.4%
		2013	115.1	4.6	13.5	4.0%	11.8%	18.1	15.7%
Blaenau Ffestiniog	139	2006	112.2	0.0	7.8	0.0%	7.0%	7.9	7.0%
		2009	112.2	0.0	8.8	0.0%	7.8%	8.8	7.9%
		2013	112.2	0.0	8.0	0.0%	7.1%	8.0	7.1%
Caernarfon	71	2006	296.5	10.2	27.3	3.4%	9.2%	37.5	12.6%
	-	2009	296.5	10.2	27.7	3.4%	9.4%	37.9	12.8%
		2013	296.5	8.8	27.3	3.0%	9.2%	36.1	12.2%

Criccieth	176	2006	82.7	2.0	9.8	2.4%	11.9%	11.8	14.3%
		2009	82.7	2.0	8.6	2.4%	10.4%	10.6	12.8%
		2013	82.7	2.3	8.8	2.7%	10.6%	11.0	13.3%
Dolgellau	113	2006	149.8	13.3	29.4	8.9%	19.6%	42.6	28.5%
	-	2009	149.8	13.3	26.4	8.9%	17.6%	39.6	26.5%
		2013	149.8	13.3	25.7	8.9%	17.1%	39.0	26.0%
Harlech	134	2006	117.5	5.0	16.2	4.3%	13.8%	21.2	18.0%
		2009	117.5	5.0	15.9	4.3%	13.6%	20.9	17.8%
		2013	117.5	6.2	13.7	5.2%	11.7%	19.9	16.9%
Llanberis	198	2006	56.6	2.3	8.8	4.1%	15.6%	11.1	19.6%
		2009	56.6	2.3	8.6	4.1%	15.2%	10.9	19.3%
		2013	56.6	2.3	8.6	4.1%	15.1%	10.9	19.3%
Llanrug	204	2006	50.5	0.1	4.3	0.1%	8.6%	4.4	8.7%
		2009	50.5	0.1	4.3	0.1%	8.5%	4.4	8.6%
		2013	50.5	0.1	3.8	0.3%	7.5%	4.0	7.8%
Penrhyndeudraeth	181	2006	70.7	0.6	13.1	0.8%	18.5%	13.7	19.3%
		2009	70.7	0.6	12.2	0.8%	17.3%	12.8	18.1%
		2013	70.7	0.8	12.2	1.1%	17.2%	12.9	18.3%
Penygroes	205	2006	48.9	0.4	2.8	0.9%	5.7%	3.2	6.5%
		2009	48.9	0.4	3.0	0.9%	6.1%	3.4	7.0%
		2013	48.9	0.5	3.5	1.0%	7.2%	4.0	8.2%
Porthmadog	110	2006	152.5	7.8	18.8	5.1%	12.4%	26.7	17.5%
		2009	152.5	7.8	23.3	5.1%	15.3%	31.1	20.4%
	-	2013	152.5	7.8	21.4	5.1%	14.0%	29.2	19.1%
Pwllheli	93	2006	180.0	2.2	16.6	1.2%	9.2%	18.8	10.5%
		2009	180.0	2.2	12.2	1.2%	6.8%	14.4	8.0%
	-	2013	180.0	2.3	11.6	1.3%	6.5%	14.0	7.8%
Tywyn	115	2006	147.8	0.6	7.9	0.4%	5.4%	8.6	5.8%
		2009	147.8	0.6	7.3	0.4%	4.9%	7.9	5.3%
	-	2013	147.8	0.6	6.2	0.4%	4.2%	6.9	4.7%
Y Felinheli	184	2006	68.7	6.8	8.1	9.9%	11.8%	14.9	21.7%
		2009	68.7	6.8	7.8	9.9%	11.3%	14.6	21.2%
		2013	68.7	6.8	8.1	9.9%	11.8%	14.9	21.7%
GWYNEDD TOTAL		2006	2304.0	109.4	249.1	4.7%	10.8%	358.4	15.6%
		2009	2304.0	109.4	251.1	4.7%	10.9%	360.5	15.6%
		2013	2304.0	106.7	237.9	4.6%	10.3%	344.6	15.0%

Table 7: Summary breakdown of town amenity tree and woodland cover in 2006, 2009 and 2013

3.5 Summary: actionable findings

Identifying landowners to promote better care and planting of trees

The distribution of Gwynedd's urban tree resource amongst 12 land uses has demonstrated the wide range of public and private stakeholders that have a decisive impact on the county's existing and future urban canopy cover. The strategic delivery of increasing canopy cover will be greatly facilitated if existing funding streams of respective landowners' budgets can be tapped into in order to support the delivery of a high quality environment and infrastructure across urban Gwynedd. In doing so, this would recognise the huge contribution that trees make to ecosystem services.

Identifying quantity and quality of tree cover to improve the provision and management of trees where best aligned to communities needs

The case for distinguishing between woodland and amenity canopy cover is useful where:

- Quantity; where woodland cover increases a town's canopy but, in terms of benefits to neighbourhoods, they are often not realising their potential due to lack of management or accessibility.
- Quality; where regular tree management in parks, gardens and streets provide a cared-for appearance. These are the trees that, whilst not extensive in terms of canopy, tend to be 'on the doorstep' of where people live and work.

The presence, or not, of woodland is clearly a factor in accounting for the highs and lows of the South Wales Valley and coastal towns, e.g. Dolgellau contrasting with Blaenau Ffestiniog and Tywyn. The open-space land-use categories host the majority of woodland cover, with private gardens being the major provider of towns' amenity trees. Examining woodland vs. amenity cover at a ward level helps to understand that the make-up of the local landscape plays a major role in determining high and low cover. Despite the broad high and low cover distinctions between the Valleys and coasts, affluent versus deprived areas, there are numerous specific examples where woodland significantly raises canopy levels in both localities.

Further detailed analysis and ground-truthing would usefully reveal:

- Evidence as to the exact spatial balance between 'wooded' and 'amenity tree' areas within communities.
- To what degree quantity and quality of tree cover align with the needs of where people live, work and play and where targeted tree planting is required.

Identifying amenity tree and woodland loss, aligning with decline in canopy cover and highlighting specific town and county concerns for further investigation

The loss of large long-lived trees is concerning. This maturing Victorian and Edwardian legacy, whilst at some point in need of replacement, does offer urban society the greatest benefits. The danger is that these trees are not being replaced and where they are, small, short-lived trees offering fewer overall benefits take their place. A consistent, resourced and planned approach is needed to:

• Protect and care for the Victorian and Edwardian legacy of large trees

• Promote planting of large canopy specimens.

Initial analysis combining tree count and canopy cover loss across counties highlights specific towns where a diminishing tree resource is apparent. The next steps for local authorities and NRW would be to:

- Undertake detailed interrogation of the survey data, ascertaining both the validity of the highlighted concerns and identifying in detail where specific loss is occurring.
- Undertake complimentary ground-truthing across towns to further understand and explain the reasons behind tree removal and their rate of loss.

Identifying legislation to protect and funding to increase tree planting opportunities

Optimising some of the existing legislation to reduce tree loss and current funding tools to secure planting schemes can both facilitate in addressing canopy cover concerns. Examples of practical next steps include:

- Reviewing the effectiveness and use of existing tools and legislation for tree preservation.
- Ensuring investments in enhancing the Wales urban treescape are an eligible expenditure for grant programmes such as Vibrant and Viable Places, Coastal Communities Fund, Business Improvement District Fund Wales, Regional Transport Consortia Grant, Safe Routes in Communities.



Bala: © Crown Copyright: RCAHMW

4. Neighbourhood canopy cover – a focus on wards


This section focuses on contrasting ward level canopy cover, considering levels of deprivation where relevant, to identify where qualitative or quantitative improvements to tree cover might be needed.

Analysis and findings are presented as follows:

- 4.1 Best and worst canopied urban wards
- 4.2 Multiple deprivation and canopy cover
- 4.3 Summary: actionable findings



4.1 Best and worst canopied urban wards



Town ward by ward canopy cover breakdown

Figure 12: Town Ward by Ward Canopy Cover Breakdown




Figure 13: Town Ward by Ward Canopy Cover Breakdown




Figure 14: Town Ward by Ward Canopy Cover Breakdown

4.2 Multiple deprivation and tree canopy cover

wates mue	wales index of Multiple Deprivation (WinD)										
No	Кеу		WIMD Category	Total No. of Wards	TCWTC Urban Area (ha)						
1	Most Deprived	0-10%	1 - 190	3	149						
2		10-20%	191 - 380	0	0						
3		20-30%	381 - 570	1	49						
4		30-50%	571 - 950	13	666						
5	Least Deprived	50-100%	951 - 1896	26	1442						
	Total			43	2306						

Wales' Index of Multiple Deprivation (WIMD)

Table 8: Distribution of Gwynedd's wards (LSOAs) as per the Welsh Index of Multiple Deprivation 2011


'Top 10' most canopied and 'Bottom 10' least canopied urban wards and WIMD

Canopy Rank	Urban Area	Ward / WIMD Category	Urban Area in Ward (ha)	Canopy Cover %
1	Dolgellau	Dolgellau South	58 of 239	29.8%
2	Bangor	Hirael & Garth 2	26 of 29	27.8%
3	Barmouth	Abermaw 1	62 of 1501	25.2%
4	Bangor	Marchog 1	46 of 64	24.5%
5	Bangor	Deiniol	53 of 53	24.3%
6	Porthmadog	Porthmadog West	81 of 867	24.0%
7	Dolgellau	Dolgellau North	91 of 3262	23.9%
8	Bangor	Hirael & Garth 1	38 of 54	23.2%
9	Y Felinheli	Y Felinheli	68 of 590	22.0%
10	Bangor	Menai	63 of 100	21.5%

Table9: 'Top10' most canopied wards

Canopy Rank	Urban Area	Ward / WIMD Category	Urban Area in Ward (ha)	Canopy Cover %
1	Tywyn	Tywyn 2	61 of 294	3.6%
2	Tywyn	Tywyn 1	87 of 2494	5.2%
3	Pwllheli	Pwllheli South	88 of 166	5.6%
4	Blaenau Ffestiniog	Bowydd and Rhiw	63 of 2603	7.0%
5	Blaenau Ffestiniog	Teigl	26 of 2835	7.0%
6	Blaenau Ffestiniog	Diffwys and Maenofferen	23 of 261	7.3%
7	Llanrug	Llanrug	49 of 188	7.4%
8	Caernarfon	Peblig	76 of 101	8.6%
9	Bangor	Pentir 1	40 of 291	9.5%
10	Pwllheli	Pwllheli North	90 of 386	9.8%

Table 10: 'Bottom 10' least canopied wards



Canopy Cover in Communities First Cluster Areas

Figure 15: Canopy Cover in 'Gwynedd' Communities First Cluster Area



Blaenau Ffestiniog: © Crown Copyright: RCAHMW

Ward by Ward (LSOAs) Canopy Cover

% Canopy Cover 0 - 5	5 - 10	10 - 1	5	15 - 20	20	0 - 25	> 25							
WIMD 1 - 190	190 - 380	3	80 - 570	ŧ	570 - 950	950	- 1896							
Ward (LSOA) with WIMD (Cluster Area Ward highlighted)	Total Ward Area (ha)	Town Area in ward (ha)	Amenity Trees 2006 (ha)	NFI Cover 2011 (ha)	Total Cover TCWTC 1 (ha)	Total % Cover TCWTC 1	Amenity Trees 2009 (ha)	NFI Cover 2011 (ha)	Total Cover TCWTC 2 (ha)	Total % Cover TCWTC 2	Amenity Trees 2013 (ha)	NFI Cover 2014 (ha)	Total Cover TCWTC 3 (ha)	Total % Cover TCWTC 3
Bala														
Bala	262.98	85.80	5.75	3.73	9.47	11.0%	6.88	3.73	10.61	12.4%	6.79	3.22	10.02	11.6%
Bangor														
Deiniol	53.11	52.55	5.52	7.18	12.70	24.2%	6.27	7.18	13.46	25.6%	5.68	7.18	12.87	24.3%
Dewi	109.77	53.22	3.52	1.00	4.52	8.5%	5.63	1.00	6.63	12.5%	4.52	1.00	5.52	10.4%
Glyder	97.93	60.01	6.56	1.08	7.64	12.7%	8.44	1.08	9.51	15.9%	7.52	1.08	8.59	14.3%
Hendre	99.73	52.08	6.32	2.19	8.51	16.3%	6.26	2.19	8.45	16.2%	6.02	2.19	8.21	15.8%
Hirael & Garth 1	54.22	38.49	4.90	4.58	9.48	24.6%	5.65	4.58	10.23	26.6%	4.96	3.87	8.83	23.2%
Hirael & Garth 2	28.60	26.37	1.05	6.00	7.05	26.7%	1.42	6.00	7.42	28.1%	1.22	6.00	7.22	27.8%
Marchog 1	63.87	45.81	2.45	7.10	9.55	20.9%	4.10	7.10	11.20	24.5%	3.42	7.82	11.24	24.5%
Marchog 2	41.33	27.15	1.27	2.05	3.32	12.2%	1.91	2.05	3.96	14.6%	1.75	2.12	3.87	14.3%
Menai	100.02	63.08	11.70	1.78	13.48	21.4%	13.47	1.78	15.25	24.2%	11.85	1.70	13.54	21.5%
Pentir 1	290.60	40.10	3.74	2.09	5.83	14.5%	4.20	2.09	6.29	15.7%	3.80	0.00	3.80	9.5%
Pentir 2	1595.91	12.58	1.44	0.36	1.80	14.3%	1.59	0.36	1.94	15.5%	1.13	0.39	1.52	11.7%
Barmouth	Barmouth													
Abermaw 1	1500.68	62.05	5.01	10.38	15.39	24.8%	6.15	10.38	16.53	26.6%	5.22	10.38	15.60	25.2%
Abermaw 2	99.66	34.78	2.86	4.07	6.93	19.9%	3.18	4.07	7.25	20.9%	2.72	4.07	6.79	19.4%
Bethesda														
Gerlan	263.17	38.24	5.95	2.43	8.39	21.9%	3.87	2.43	6.31	16.5%	5.02	2.43	7.45	19.6%
Ogwen 1	34.41	33.25	5.83	0.07	5.90	17.8%	4.06	0.07	4.12	12.4%	4.85	0.07	4.92	14.9%
Ogwen 2	91.72	43.60	4.17	1.88	6.06	13.9%	1.94	1.88	3.83	8.8%	3.66	2.07	5.73	13.0%

Ward (LSOA) with WIMD (Cluster Area Ward highlighted)	Total Ward Area (ha)	Town Area in ward (ha)	Amenity Trees 2006 (ha)	NFI Cover 2011 (ha)	Total Cover TCWTC 1 (ha)	Total % Cover TCWTC 1	Amenity Trees 2009 (ha)	NFI Cover 2011 (ha)	Total Cover TCWTC 2 (ha)	Total % Cover TCWTC 2	Amenity Trees 2013 (ha)	NFI Cover 2014 (ha)	Total Cover TCWTC 3 (ha)	Total % Cover TCWTC 3
Blaenau Ffestiniog														
Bowydd and Rhiw	2603.20	62.86	4.73	0.00	4.73	7.5%	5.13	0.00	5.13	8.2%	4.39	0.00	4.39	7.0%
Diffwys and Maenofferen	260.95	23.25	1.36	0.04	1.40	6.0%	1.71	0.04	1.76	7.6%	1.65	0.04	1.69	7.3%
Teigl	2835.00	26.08	1.73	0.00	1.73	6.6%	1.94	0.00	1.94	7.4%	1.81	0.00	1.81	7.0%
Caernarfon														
Cadnant	212.77	48.53	4.34	1.82	6.16	12.7%	4.59	1.82	6.41	13.2%	4.28	1.82	6.10	12.6%
Menai	252.96	85.44	8.66	0.84	9.50	11.1%	9.01	0.84	9.85	11.5%	8.68	0.84	9.52	11.2%
Peblig	100.95	75.90	6.11	0.01	6.12	8.1%	6.65	0.01	6.66	8.8%	6.49	0.01	6.50	8.6%
Seiont 1	51.68	42.88	3.37	4.66	8.03	18.7%	2.75	4.66	7.41	17.3%	2.74	3.73	6.48	15.1%
Seiont 2	318.23	41.71	4.79	2.86	7.65	18.3%	4.72	2.86	7.57	18.2%	4.69	2.33	7.02	16.7%
Criccieth														
Criccieth	672.37	82.32	9.80	2.02	11.82	14.4%	8.58	2.02	10.60	12.9%	8.61	2.02	10.63	13.0%
Dolgellau														
Dolgellau North	3262.28	91.31	19.95	3.97	23.92	26.2%	18.36	3.97	22.33	24.5%	17.74	3.97	21.71	23.9%
Dolgellau South	238.72	58.45	9.41	9.30	18.72	32.0%	8.01	9.30	17.31	29.6%	7.93	9.33	17.26	29.8%
Harlech														
Harlech	5852.44	95.98	13.31	5.00	18.32	19.1%	12.64	5.00	17.64	18.4%	11.65	6.15	17.80	18.5%
Llanbedr	6839.79	21.55	2.89	0.00	2.89	13.4%	3.30	0.00	3.30	15.3%	2.24	0.00	2.24	10.2%
Llanberis														
Llanberis	4614.46	56.57	8.80	2.31	11.11	19.6%	8.60	2.31	10.91	19.3%	8.47	2.31	10.79	18.9%
Llanrug														
Bethel & Cwm-y-Glo 2	2149.88	1.67	0.28	0.00	0.28	16.5%	0.31	0.00	0.31	18.4%	0.26	0.00	0.26	13.0%
Llanrug	187.88	48.84	4.07	0.06	4.13	8.5%	3.99	0.06	4.05	8.3%	3.55	0.06	3.62	7.4%
Penrhyndeudraeth														
Ward (LSOA) with WIMD (Cluster Area Ward highlighted)	Total Ward Area (ha)	Town Area in	Amenity Trees	NFI Cover	Total Cover	Total % Cover	Amenity Trees	NFI Cover	Total Cover	Total % Cover	Amenity Trees	NFI Cover	Total Cover	Total % Cover

		ward (ha)	2006 (ha)	2011 (ha)	TCWTC 1 (ha)	TCWTC 1	2009 (ha)	2011 (ha)	TCWTC 2 (ha)	TCWTC 2	2013 (ha)	2014 (ha)	TCWTC 3 (ha)	TCWTC 3
Penrhyndeudraeth 1	3483.46	40.88	8.45	0.56	9.01	22.0%	7.81	0.56	8.37	20.5%	7.86	0.56	8.42	20.5%
Penrhyndeudraeth 2	656.61	29.87	4.66	0.00	4.66	15.6%	4.39	0.00	4.39	14.7%	4.19	0.00	4.19	14.0%
Penygroes														
Penygroes	729.48	48.91	2.77	0.43	3.20	6.5%	2.97	0.43	3.40	7.0%	3.17	0.43	3.60	7.4%
Porthmadog														
Porthmadog East	452.92	70.89	5.69	2.54	8.23	11.6%	7.78	2.54	10.32	14.6%	7.21	2.54	9.75	13.7%
Porthmadog West	866.57	81.19	13.13	5.30	18.42	22.7%	15.49	5.30	20.79	25.6%	14.14	5.30	19.44	24.0%
Pwllheli														
Pwllheli North	385.65	90.29	8.78	1.73	10.51	11.6%	7.25	1.73	8.98	9.9%	7.07	1.73	8.80	9.8%
Pwllheli South	166.04	88.37	7.81	0.46	8.27	9.4%	4.93	0.46	5.40	6.1%	4.45	0.46	4.91	5.6%
Tywyn														
Tywyn 1	2493.64	87.21	5.05	0.59	5.64	6.5%	4.48	0.59	5.07	5.8%	3.93	0.59	4.52	5.2%
Tywyn 2	293.84	60.56	2.88	0.05	2.93	4.8%	2.77	0.05	2.82	4.7%	2.16	0.05	2.21	3.6%
Y Felinheli														
Y Felinheli	589.92	68.24	8.11	6.79	14.89	21.8%	7.76	6.79	14.55	21.3%	8.14	6.79	14.93	22.0%
able 11: Ward by Ward (I SQAs) Canony Cover														

Table 11: Ward by Ward (LSOAs) Canopy Cover



Y Galeri, Caernarfon

4.4 Summary: actionable findings

Adopting a ward-level focus to identify priority communities for action

Gwynedd's ward-level data (LSOAs) provides a useful insight into those areas most deficient in tree cover, especially if aligning with those urban areas that have been identified as priorities for town-scale strategic action in section 2.5.

1–570 WIMD wards have already been identified as having serious social, economic and environmental problems. The low levels of tree cover that exist in the majority of these needy communities also emphasise how poorly they are provided for, in terms of pleasant, leafy surroundings. These initial findings are particularly powerful in highlighting the case for action, once further detailed scoping for opportunities has been undertaken.

Regeneration schemes focusing on designated Community First cluster areas should integrate urban forestry improvement measures looking at both quantitative and qualitative enhancement ensuring:

- Amenity trees are present where people live, shop, work and play;
- Existing woodlands are designed and managed to bring value to local communities.

One of the avenues to explore includes reviewing existing regeneration grant funding to make sure quantitative and qualitative enhancement to the local tree resource are qualifying expenditures.

Natural Resources Wales' focus on supporting and targeting action in Communities First cluster areas should, through working with partners, enable a better spatial understanding of where the priority planting needs are. Where realistic opportunities exist, pilot projects need to be resourced, implemented and publicised as exemplar case studies.

(As of October 2016 the Welsh Government has decided to bring the Communities First programme to an end – too recent to re-vamp the focus of the TCWTC study).



Tywyn: © Crown Copyright: RCAHMW

5. Estimating the potential for tree planting - pilot exercises for Bangor and Dolgellau

This section presents a desktop methodology that was piloted across a sample 27 urban areas across Wales, including Bangor and Dolgellau, to identify where new tree planting might be possible.

The approach and its findings are presented as follows:

5.1 Estimating the realm of the possible: the TCWTC method – Potential canopy cover (PCC)
5.2 Potential green areas for targeting tree planting – the Bangor and Dolgellau pilots
5.3 Summary: actionable findings



5.1 Estimating the realm of the possible: the TCWTC method

To enable tree strategies and canopy cover targets to be fully developed, national and local government not only need a clear picture of the existing resource but also an indication of what's potentially possible to achieve.

A number of cities in the United States have been particularly proactive, in conjunction with the United States Department of Agriculture's Forest Service, in underpinning urban tree management with canopy cover mapping, stocking level information and canopy cover targets. This is all part of a far more structured approach to urban forest management than exists in the UK. *Planning the Urban Forest* and *Sustaining America's Urban Trees and Forests* are two useful introductory publications by the American Planning Association and Forest Service respectively.

Over and above existing canopy cover data, many US cities now have information on land that is potentially 'plantable' and could form 'Potential Canopy Cover' (PCC). This often focuses on:

- Impervious areas, particularly streets, through assessments of 'stocking levels'; the number of street trees that can realistically be planted within a neighbourhood.
- Green space based on land allocation and context.

The pilot assessment of tree planting potential, conducted as part of the TCWTC study, does not have the sophistication of American models. The datasets available to Natural Resources Wales confined this exercise to identifying 'green' land without existing canopy cover. It was not possible to identify potential 'grey/impervious' land, albeit these are often the locations in tough challenging urban environs where canopy cover is most needed.

Whilst not offering a holistic assessment of the realm of the possible, the method adopted below offers the advantage of highlighting potential 'easy wins': tree planting is typically less expensive in soft landscape environs than in hard landscapes. Trees are also likely to have better chance of survival and better fulfil their genetic potential (i.e. grow as big as they can) if they have access to large soil volumes.

Twenty-seven pilot towns were selected across Wales' 22 local and three national park planning authorities based on selecting a major county town per authority, e.g. Bangor.

Three basic categories have been identified within the urban boundary:

- Existing cover (based on 2009 canopy cover survey & NFI woodland data);
- Grey, impervious and blue areas i.e. buildings, roads, rail and water which might provide opportunities for tree planting, particularly along streets or within civic spaces and parking lots, but which were not included within the scope of this study;
- Green areas that theoretically could be recruited for additional tree planting, and could help increase the overall local canopy cover – i.e. areas of bare soil, grass and beds of shrubs / young trees.

The aim, of this pilot exercise is to:

- Highlight green areas to investigate for potential new (and low-cost) tree planting within, a) each urban area, b) their constituent wards, and c) each land-use category on a ward-by-ward basis.
- Offer observations as to where the key opportunities to investigate lie, in particular where the study's findings are already making the case towards increasing canopy cover in certain towns and wards.

5.2 Potential green areas for targeting tree planting – the Bangor and Dolgellau pilots

Assuming that the existing tree cover level remains stable as new planting conducted in target green spaces achieves 100% coverage of all these areas, Table 12 above shows that canopy cover could potentially increase by 38% and 36% in Bangor and Dolgellau respectively, resulting in an overall tree coverage as high as 58% and 63%. In reality, several constraints will reduce the actual potential for increase:

- Achieving a sustainable cover in the target green areas will take a significant amount of time. Maintaining tree cover levels in existing areas will require good planning and management, underpinned by a good understanding of required tree replacement rates (and capacity to implement the required replacements). The age pyramid and species distribution of the existing tree stock will have a strong influence on the timeframe within which this will be achievable.
- Achieving a 100% cover in the target green areas is unlikely to be suitable or desirable without compromising other highly valued benefits associated with green spaces e.g. playing fields, biodiversity sites with open habitats, allotments, etc. Ground-truthing and community engagement is required, to narrow down the identified wide range of potential green locations, to ear-mark realistic and suitable sites for planting, and to determine a consensual canopy cover target.

URBAN AREA	Urban Area (ha)	'Grey' Areas (ha)	Existing Cover* (ha)	'Green' areas for potential planting (ha)	2009 Cover* %	Potential cover increase** %	Existing* + Potential** Canopy Cover %	
Bangor	472	200	94	178	20	38	58	
Dolgellau	150	56	40	54	27	36	63	

Table 12: The potential to increase canopy cover in Bangor and Dolgellau by assessing green space without trees.

* Assuming existing tree cover remains stable overtime; ** Assuming 100% coverage is achieved in green areas targeted for planting

The figures presented in Table 12 confirm space is available to consider undertaking new planting. Together with the constraints and associated mitigation steps presented above, this suggests a methodology and starting point to begin defining approaches for increasing the local urban tree resource. What is encouraging is that those already identified as 'low cover' towns, especially Holyhead, Port Talbot and Rhyl, are all rich in green areas where increasing canopy cover might be possible.




Figure 16: Bangor's canopy cover and green areas with potential to explore new planting



Bangor: © Crown Copyright: RCAHMW




Figure 17: Dolgellau's canopy cover and green areas with potential to explore new planting



Dolgellau: © Crown Copyright: RCAHMW

5.3 Summary: actionable findings

All towns and wards offer scope for increasing planting and canopy cover

The pilot analysis of potential areas for tree planting has focused on what might be considered as 'easy wins': tree planting in green spaces has fewer constraints, and often lower upfront costs, than accommodating trees within hard landscapes.

Results have shown that large tracks of 'green' land – both public and private – seem to offer potential for tree planting. However, a detailed, on-the-ground appraisal is needed to enable decision makers to fully understand where planting is most achievable and desirable, so as to plan effectively for a more substantial and robust urban forest.

Consideration of this town assessment approach to potential canopy cover would benefit from:

- Feedback from stakeholders, especially local authorities, as to the usefulness of this approach. Closer analysis of and comment on each county's pilot town findings would be useful.
- An indication as to the merits of expanding the approach to other towns.
- Exploring methods to best identify and map potential 'grey' planting areas.

The importance of identifying land-use and available 'green' and 'grey' areas in understanding where it's feasible to plant and set realistic canopy cover targets

The pilot conducted has also shown that in some of the densely populated and more challenging areas, focusing exclusively on green areas for spotting opportunity to increase tree cover was not enough. The approach to mapping potential areas for planting across both green and grey areas to the level of detail that US cities adopt, deserves to be investigated further and utilised as the way ahead for realistically developing tree strategies and setting urban canopy cover targets.

The next steps here would be to:

- Engage with pilot local authorities keen to take this approach to the next level of investigation;
- Select a pilot town or county, and work to build up comprehensive site-based data, enabling an approach to setting meaningful canopy cover targets.




Heol Madog, Porthmadog

6. Conclusion: disseminating, refining and updating the data

The 'Tree Cover in Wales' Towns and Cities – Gwynedd study makes a significant contribution in pinpointing where and how much tree cover the county's towns possess. Making the most of these finding requires concerted efforts towards:

- 6.1 Disseminating the data
- 6.2 Improving and updating the dataset
- 6.3 Using the findings: sustaining and growing canopy cover



6.1 Disseminating the data

Communicating the Gwynedd's findings

The target audience is the Gwynedd County Council's policy and programme formulators, the chief executive and heads of department, politicians, professional practitioners and organisations working in both, the urban green space realm and, less advantaged communities.

Copies of this county report are available from: <u>urbantrees@naturalresourceswales.gov.uk</u>, to where queries on its content can be forwarded.

The national TCWTC report and summary can be accessed by visiting the urban trees page on NRW's website.

Data sharing

The county and national reports are supplemented by:

- Visiting the County Local Evidence Packages from the Infobase Cymru website, to identify those towns assessed for their canopy cover.
- Accessing the Welsh Government and Natural Resources Wales Lle geo-portal website for the study datasets in GIS and tabular formats.

6.2 Improving and updating the dataset

Gathering feedback

Comments on the usefulness and format of the data provided in the county report would be welcome via: <u>urbantrees@naturalresourceswales.gov.uk</u>.

Following the 2016 updated TCWTC study main report and summary, continued feedback on the methodology used, the findings and next steps will be sought from the target audiences.

This will aid Natural Resources Wales to further, a) refine the evidence gathering approach, b) build on where there are gaps in knowledge, and, c) work closer together to promote urban canopy cover

Aerial photography

The next planned aerial photography capture for Wales is due in 2017. It would therefore be timely, if feasible, following the 2006, 2009 and 2013 aerial assessments, to carry out a Phase 4 survey in 2018-19. With a suite of aerials of the same resolution spanning eight years, the picture of change in canopy cover comparison will become that much more reliable.

Pre-2006 aerial photography is potentially available to test change over time for specific towns and areas of interest.

The urban boundary

A review of the land-use rules, boundary checking and, in the light of any feedback, the urban areas as currently defined by Natural Resources Wales would be beneficial. Consideration should be given to aligning with the Gwynedd County Council's 'settlement boundaries'.

Tree and canopy data

To provide more consistent canopy cover figures, the urban NFI components need to be analysed more closely, and where canopy diameter does not exceed 3.0 metres, these need to be omitted from the findings.

No ground-truthing has been done to date, e.g. does taking the median for each of the three tree size categories give a fair reflection of actual canopy cover?

There would be merit in separately identifying canopy cover for those 1.0–3.0 metre diameter trees - their contribution to those 'grey' areas in low cover wards, while not adding greatly to canopy cover, does have an important 'greening' impact.

What would be useful is to ascertain to what degree the Gwynedd County Council has, in recent years, invested heavily in planting which has yet to register as canopy cover, or has there been minimal or no programme of young recruitment planting.

Consider other tree and canopy data capture techniques, e.g. infrared hyperspectral imagery to identify tree height and species.

There is a case for adding additional layers of specific tree interest, partly related to canopy cover, e.g. tree preservation orders (TPOs), historic, ancient and veteran trees.

Public – private land ownership

There would be value in identifying private and public tree cover in towns, i.e. where Gwynedd County Council could influence change greatest. Public land could be categorised further e.g. parks, street trees or educational, in the quest for more informed management and seeking out opportunities for planting. Identifying canopy cover and planting opportunities on land holdings, such as Registered Social Landlords, would appear in line with much of the WIMD and 'Communities First' cluster area focus this study has adopted.

Potential planting

The planting opportunities pilot assessment for Bangor deserve more investigation and validating on site. Case studies would help to raise the profile of this approach to setting canopy cover goals. Consider extending the approach to all towns along with refining the methodology, especially identifying potential paved 'grey' areas for trees when suitable datasets are available.

Cross-referencing datasets

The cross mapping with WIMD has been revealing and it would be equally invaluable to do more research against datasets such as air quality, health, temperature, flood risk, property values, crime, wildlife connectivity and access to green-space. In terms of an ecosystem approach these would no doubt highlight particular urban areas that would benefit from additional canopy cover.

This study only identified trees and woodland within the built boundary. Urban fringe woodland is also important for potential recreational access and as a backdrop to life. An assessment of the degree of woodland beyond town boundaries would highlight communities lacking in trees on both counts, making their case for 'action on the ground' greater.

Valuing the benefits of tree cover

In due course NRW, The Open University and Forest Research intend to upload this study's dataset onto the Treezilla 'Monster Map' site as point data. Over time Gwynedd County Council, community groups and individuals can input species, girth, height, crown and ground surface information to those specific trees, which then generates values as to the benefits that tree provides society. The 'Valuing Wrexham's Urban Forest' i-Tree Eco report (2014) revealed an understanding of the county's urban forest structure and also crucially quantified and valued the ecosystem benefits urban trees provide. The report highlighted the cost / benefit effectiveness of trees in contributing to tackling many of today's urban challenges from infrastructure provision to the health and wellbeing of communities. Similar studies have been completed in 2015 for the Tawe catchment and Bridgend County Borough.

6.3 Using the findings: sustaining and growing canopy cover

The TCWTC study provides Gwynedd County Council with a critical component of the evidence base they need to produce a tree and green infrastructure strategy that can be embedded in policy through guidance, development and related infrastructure plans. However, a tree strategy must be fully costed to realistically sustain and grow the urban forest. To this end Gwynedd County Council first need to know their tree resource. A major outcome from the strategy should be the setting of a local canopy cover goal, grounded in a good understanding of their existing tree resource – which the TCWTC data goes a long way in facilitating.

The TCWTC study provides the Gwynedd County Council and others with solid evidence of the state of the county's urban forest, both in terms of extent and distribution as well as of its evolution. This has highlighted some important issues regarding:

- Canopy cover loss: the TCWTC study show clear evidence that 8 urban areas have lost canopy cover between 2009 and 2013.
- Canopy cover discrepancies between towns and wards.
- Unfulfilled potential to better use land for increasing cover.
- The findings provide grounds to undertake a review on current legislation and guidelines as to their effectiveness on delivering ecosystem goals, e.g. TPOs and ensuring robust conditions are adhered to on development sites.

The TCWTC study provides local community champions and third sector organisations, such as local tree ambassadors and tree wardens, with an open source dataset to inform their work in taking local action to increase and care for canopy cover, as well as to spread the word about the value of trees to the wider public:

Public Service Boards have a crucial role to play in bringing together public, private and voluntary organisations to address issues where tree cover can offer solutions.

Active local campaigners groups such as GAG (Greener Aberystwyth Group) work tirelessly to raise tree and green space issues amongst fellow residents and work alongside Ceredigion Council. Their existence has been very much a contributory factor in securing the 2012-14, £375,000 funded, Coed Aber project.

Examining the neighbourhood tree approach, adopted successfully in many US cities and piloted over here in places such as Hackney, London and Bristol, there is potentially the appetite to engage more fully with residents in tree-planting and on-going maintenance projects.

31/10/2016

